

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

---

Attn: **Nathanael Roberts**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

6/3/2022

Phone: (856) 840-8800  
Fax: (856) 840-8815

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 5/20/2022. The results are tabulated on the attached data pages for the following client designated project:

**21-353 / Beck Middle School**

The reference number for these samples is EMSL Order #012208108. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:



---

Owen McKenna, Chemistry Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.  
NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>[EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012208108

CustomerID: TTIE54

CustomerPO: 034036

ProjectID:

Attn: **Nathanael Roberts**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 5/20/2022 12:30 PM

Project: 21-353 / Beck Middle School

**Analytical Results**

**Client Sample Description** 1 / CH40-1-S-01A / Kitchen **Collected:** 5/18/2022 5:10:00 AM **Lab ID:** 012208108-0001

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 18:16 KG

**Client Sample Description** 2 / CH40-1-S-02A / Kitchen **Collected:** 5/18/2022 5:11:00 AM **Lab ID:** 012208108-0002

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.60	1.00 µg/L	6/1/2022 KG	5/31/2022 18:17 KG

**Client Sample Description** 3 / CH40-1-ICE-03A / Kitchen **Collected:** 5/18/2022 5:12:00 AM **Lab ID:** 012208108-0003

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	1.23	1.00 µg/L	5/31/2022 KG	6/1/2022 19:59 JW

**Client Sample Description** 4 / CH40-1-WBF-1A / APR Left **Collected:** 5/18/2022 5:15:00 AM **Lab ID:** 012208108-0004

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 18:19 KG

**Client Sample Description** 5 / CH40-1-WBF-2A / APR Right **Collected:** 5/18/2022 5:16:00 AM **Lab ID:** 012208108-0005

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 18:20 KG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>[EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012208108

CustomerID: TTIE54

CustomerPO: 034036

ProjectID:

Attn: **Nathanael Roberts**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 5/20/2022 12:30 PM

Project: 21-353 / Beck Middle School

**Analytical Results**

**Client Sample Description** 6 / CH40-1-WBF-3A / Hall Near Boiler Room 31 **Collected:** 5/18/2022 5:18:00 AM **Lab ID:** 012208108-0006

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:22

**Client Sample Description** 7 / CH40-1-WBF-4A / Hall Near Room 17 Left **Collected:** 5/18/2022 5:41:00 AM **Lab ID:** 012208108-0007

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:23

**Client Sample Description** 8 / CH40-1-WBF-5A / Hall Near Room 17 Right **Collected:** 5/18/2022 5:42:00 AM **Lab ID:** 012208108-0008

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:25

**Client Sample Description** 9 / CH40-1-WBF-6A / Hall Near Room 4 Left **Collected:** 5/18/2022 5:44:00 AM **Lab ID:** 012208108-0009

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:26

**Client Sample Description** 10 / CH40-1-WBF-7A / Hall Near Room 4 Right **Collected:** 5/18/2022 5:45:00 AM **Lab ID:** 012208108-0010

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:28

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>[EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012208108

CustomerID: TTIE54

CustomerPO: 034036

ProjectID:

Attn: **Nathanael Roberts**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 5/20/2022 12:30 PM

Project: 21-353 / Beck Middle School

**Analytical Results**

**Client Sample Description** 11 / CH40-1-S-4A / Faculty Lounge **Collected:** 5/18/2022 5:23:00 AM **Lab ID:** 012208108-0011

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:29

**Client Sample Description** 12 / CH40-1-S-3A / Nurse **Collected:** 5/18/2022 5:24:00 AM **Lab ID:** 012208108-0012

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	3.84	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:40

**Client Sample Description** 13 / CH40-1-WBF-8A / Hall Near Room 43 **Collected:** 5/18/2022 5:27:00 AM **Lab ID:** 012208108-0013

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:42

**Client Sample Description** 14 / CH40-1-WBF-10A / Boys Locker Room **Collected:** 5/18/2022 5:29:00 AM **Lab ID:** 012208108-0014

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:43

**Client Sample Description** 15 / CH40-1-WBF-11A / Girls Locker Room **Collected:** 5/18/2022 5:31:00 AM **Lab ID:** 012208108-0015

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:45

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>[EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012208108

CustomerID: TTIE54

CustomerPO: 034036

ProjectID:

Attn: **Nathanael Roberts**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 5/20/2022 12:30 PM

Project: 21-353 / Beck Middle School

**Analytical Results**

**Client Sample Description** 17 / CH40-1-WBF-12A / Hall Near Room 64 Left **Collected:** 5/18/2022 5:36:00 AM **Lab ID:** 012208108-0016

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:46

**Client Sample Description** 18 / CH40-1-WBF-13A / Hall Near Room 64 Right **Collected:** 5/18/2022 5:37:00 AM **Lab ID:** 012208108-0017

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:48

**Client Sample Description** 19 / Blank **Collected:** 5/18/2022 **Lab ID:** 012208108-0018

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	6/1/2022 KG	5/31/2022 KG 18:53

**Definitions:**

MDL - method detection limit

J - Result was below the reporting limit, but at or above the MDL

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit (Analytical)

D - Dilution Sample required a dilution which was used to calculate final results